SPECIAL SHAPES ORDERING

Check List


| 1. Drawings | |
|-----------------------|--|
| 2. Dimensions | 100 and 100 an |
| 3. Surfaces | |
| 4. Quantities | |
| 5. Delivery Date | |
| 6. Architect | |
| 7. General Contractor | |
| 8. Type of Brick | |

Because of the unique nature of special shapes, great care should be taken when ordering. The following steps are very important:

- 1. Provide accurate drawings.
- 2. Check all dimensions.
- 3. Determine and indicate all surfaces to be finished.
- 4. Make sure the quantity is correct.
- 5. Indicate the date of delivery.
- 6. Provide the name of the architect and general contractor.

Note:

- All dimensional tolerances will meet ASTM C-216, Type FBS. Angular Tolerances will be +4 degrees.
- Orders for special shapes may not be cancelled in whole or in part when shapes are in process of being manufactured or after they have been completed.
- Small quantities of certain shapes will include a set-up charge in addition to the unit price.
- "Add-on" orders of special shapes which are placed after original quantities have been manufactured are subject to a set-up charge.
 Color match on certain shades cannot be guaranteed when shapes are ordered after the face brick have been manufactured.
- Special shapes will be shipped with the first rail car or truckload of face brick on an order unless other arrangements are agreed upon at the time the order is placed.
- Color and texture of certain shapes may vary slightly from that of the face brick.
- Shapes will be made cored or solid at manufacturer's discretion unless otherwise stated.



CIRCULAR ARCH


ORDERING REQUIREMENTS:


- Brick size and blend number
- Inside diameter, D₁= inches
- Outside diameter, D₂= inches
- In order to determine the circumference, multiply the diameter by 3.1416
- Bonded or non-bonded

ROMAN ARCH

ORDERING REQUIREMENTS:

- Brick size and blend number
- Masonry opening (mo)
- Inside radius, R,
- Outside radius, R₂
- · Bonded or non-bonded






BONDED JACK ARCH

ORDERING REQUIREMENTS:

when ordering arches, please provide detailed drawings and the following information:

- Masonry opening dimensions
- · Number of courses covered by arch
- · Brick size and blend number
- · Bonded or non-bonded

TUDOR ARCH




ORDERING REQUIREMENTS:

when ordering arches, please provide detailed drawings and the following information:

- · Masonry opening dimensions
- Brick size and blend number
- H₁ and H₂ in inches
- R.
- · Length of Segment
- Bonded or non-bonded

GOTHIC ARCH



ORDERING REQUIREMENTS:

- · Brick size and blend number
- · Masonry opening, MO
- Rise H
- R₁ and R₂
- · Bonded or non-bonded

OGEE

MODULAR

OVERSIZE

OGEE HEADER


| - 1 | -314"-1 | | |
|-----|---------|---|--|
| 7 | | _ | |
| ' | 75 | | |
| | | / | |


78

OG18

OG28

OGEE HEADER CORNER MITERED WITH JOINT






OG16

OG26

OGEE SLOPED SILL RETURN, RIGHT & LEFT






OG19

OG29


OGEE POST CAP





12" BASE 12" DASE

OG14

OG24







SINGLE BULL NOSE

MODULAR

OVERSIZE

SINGLE BULL NOSE ROWLOCK

3 1 0 0 0 0 2 km

31/4 000

11 SB21

OUTSIDE BULL NOSE ROWLOCK CORNER MITERED

31/9.



OB11 OB21

INSIDE BULL NOSE ROWLOCK CORNER


3 W ... 3 W ...



IB11 IB21

BULL NOSE WALL CORNER ROWLOCK






BN11 BN21

SINGLE BULL NOSE WALL END RIGHT & LEFT






BN11



SB12





COVE

COVE **HEADER**

COVE STRETCHER


COVE

MITERED


COVE


MITERED

OVERSIZE MODULAR CO10 CO20 CO11 CO21 **INSIDE CORNER** CO12 CO22 **OUTSIDE CORNER** CO13 CO23 C013 **CO11**










C010

DOUBLE BULL NOSE

DOUBLE BULL NOSE HEADER

DOUBLE BULL NOSE ROWLOCK

DOUBLE BULL NOSE WALL END





SILL


OGEE SLOPED SILL

OGEE SLOPED SILL RETURN, RIGHT & LEFT

MODULAR OVERSIZE









2 PIECE ROWLOCK

MITERED CORNER




ROWLOCK WALL END



BELL WALL CAP

BW10 MOD O/S

BELL WALL CAP CORNER



BELL WALL CAP END



